92746078 SE CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-77

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL PTT

-376-76760 See Instructions on back of page 6.

Department of Toxic Substances Control Sacramento, California

	UNIFORM HAZARDOUS WASTE MANIFEST 1. Generator's US EPA II C A D 0 8 6 5		fest Documen	1 No.	2. Page 1 of 1		the shaded areas by Federal law.
	3 Generator's Name and Mailing Address Douglas Aircraft Company Attn: R. Tu 19503 S. Normandie Avenue, Torrance,	CA 90502		B. State (Manifest Document Generator's 1D	927	16078
		EPA ID Number			V H Q 3 6 Fransporter's ID 3,	이 이 이 (515년)	3/3690 3/3690
	United Pumping Service C A 7. Transporter 2 Company Name 8. US	D 0 7 2 9 5 3	7 7 1		oarter's Phane (8	18) 961-	9326
	L				orter's Phone		
	USPSCIP Facility Name and Site Address ntain Facility 3 mi east, 7 mi north of Knolls Exit Off of I-80, Clive, UT		7 4 8	G. State H. Facility (80)		<u> </u>	
	11. US DOT Description (including Proper Shipping Name, Hazard Class, o	and ID Number)	12. Con No.	tainers Type	13. Total Quantity	14. Unit Wt/Vol I.	Waste Number
,	RO, Hazardous Waste Solid, N.O.S. (G ORM-E, NA9189 (DOO7)	Chromium)	0 0 1	C M	08090	P 🖺	
	RQ, Hazardous Waste Solid, N.O.S. (CORM-E, NA9189 (DOO7)	Chromium)	0, 0, 1	C M	0 18 31 14 3 5 5 0 0) 57 1 D EP	rte
\ 	c.					Sk	
	d.					Sic	ite A/Other
The state of the s	J. Additional Descriptions for Materials Listed Above a) GM89-995. Chromium Filter Cake. b) GM90-3010. Precision grinding slude 15. Special Handling Instructions and Additional Information In case of accident contact Chemtrec DOT Emergency Response Guide #1s a) 3:	at 800-424-93	100. We	a. <i>[</i>	are appro	b. O	
	16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of packed, marked, and labeled, and are in all respects in proper conditions.						
	If I am a large quantity generator, I certify that I have a program i economically practicable and that I have selected the practicable meth threat to human health and the environment; OR, if I am a small que waste management method that is available to me and that I can affor	in place to reduce the volument of treatment, storage, contity generator, I have make	me and toxic or disposal cu	ity of wast irrently avo	e generated to the iilable to me which	degree I have minimizes the p	determined to be resent and future
,	Printed/Typed Name S	ignature	B.:	Tuc	UZ, J.	Month	Day Year
	Gaston Outron	ignature (<i>#</i> 2	<u>*</u>	· · · · · · · · · · · · · · · · · · ·	Month 2 3	Day Year
• !	48. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name S	ignature			AND THE STREET	Month	.Day Year
	19. Discrepancy Indication Space		,		1		
	· · · · · · · · · · · · · · · · · · ·		<u> </u>		// a	<u>/_3</u>	002-6
	20. Facility Owner of Operator Certification of receipt of hazardous mater Printed/Typed Name S	ials covered by this thanifes ignature	t except as no	ofed in Item	119. Land	Month	Day Year
	1941- H-Thong - Kemero	WEITE BELOW TI	<u>/ (</u>	<u>Com</u>	ele.	-44	4075

Yellow:

TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS. (Generators who submit hazardous waste for transport out-of-state, produce completed copy of this copy and send to DTSC within 30 days.)

USPCI LO	DAD TICKET	01:46 PM 04 13 93
A Subsidiary of Union Pacific Corporation	GROSS	34740 LB
1706	TARE	
at 1324	NET	
1326 LOAD # 3205 BUCK # 36 TRAILER #	71,23	02:23 PM 04 13 93 26780 LB
REMARKS D TOTT C-D	The second secon	1 9 9 (10 (1 b)
DRUM COUNT:		
DRIVER:	COUNT:	DATE//
OPERATOR:	COUNT:	DATE//
		RECEIVING CLERK

WASHOUT REC GENERATOR NAME WASHOUT REC	EIPT
LOAD # TRUCK #	MANIFEST #
TRUCK TYPE DT G T	FB O
TYPE OF WASH INT	EXT
WASHOUT SIGNATURE	DATE // //
DRIVER SIGNATURE	DATE 4 1 13 1 93
WHITE - Records YELLOW - Billing	PINK - Driver

DO NOT WRITE BELOW THIS LINE.

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

19. Discrepancy Indication Space

Printed/Typed Name

Ö

CASE

Z

Month

Day

Year

VENDOR: United Pumping

TRUCK #: R 385

DATE: 03-31-93

CONTENTS: Precision Grinding Studge

DISPOSAL FACILITY: USPCT

DRIVER: Casten

GROSS 9500

TARE 4000

NET 5,500

DRUM CUUNI

GALLONS

WEIGHT TICKET

STATE MANIFEST DOCUMENT NUMBER: 92746078

WEIGHT TICKET THE TOTAL

VENDOR: United Pumping	ngua serkaan ormodyk hilad o'd dia assistan deleth i kristligen gef	GROSS	12090
TRUCK #: 33 & R 32	6	TARE	4000
DATE: 03-31-93		NET	8090
CONTENTS: Chromium fils	for care.	nerelle konnekton lättyttettä. Sattat 1981 mil ett lattatatata	
DISPOSAL FACILITY: USPCZ	gyanandarri. 0	DRUM CO	ואט
DRIVER: Gaston		GALLONS	·
STATE MANIEFST	DOCUMENT	NUMB	ER: 92746078



UNITED PUMPING SERVICE, INC. FIELD WORK ORDER 32873

14016 EAST VALLEY BOULEVARD CITY OF INDUSTRY, CALIFORNIA 91746 PHONE: (818) 961-9326 FAX (818) 336-7734

	PAGEOF
DATE WORK PERFORME	D. 3/3//93
DATE OF THIS REPORT	13/5/52
TME CALL RECEIVED	/ //
CONTRACT NO.:	
LOSS REPORT NO./P.O.	NO.:

CUSTOMER/ADDRESS	11 1 2 11 11	<u>. // </u>	19. 10 /	<i>J.</i> (
1950	<u>3 S</u>	11, 4		1.5	
Tova	e e se toto	CA	90	T02_	
PHONE NO.			CONTACT	The second state of the second	60000000000000000000000000000000000000
LOCATION:	And the second s	essential de la companya de la comp	CASE OF PARTY OF THE PARTY OF T	CHANGE CONTRACTOR SALES SA	

EQUIPMENT: TYPE	EQUIPMENT NO:	OPERATOR NAME	TIME	ARRIVE TIME	TIME OUT	STOP TIME	8.T. TIME	O.T. TIME	TOTAL HOURS
Pallott & ticky	# 13	Courts 1	///	2.0	<i>11:</i> 2 =				
		The second secon							
		100 <u>1</u> 00							

PERSONNEL: NAME	TIME .	START TIME	ARRIVE TIME	TIME OUT	STOP TIME	8.T. TIME	O.T. TIME	TOTAL HOURS

DISPOSAL: MANIFEST NO	DISPOSAL SITE	ØIV	UNIT
92746078	11826	13570	7
) () () () () () () () () () (

COMSUMABLE:	en	TYPE	en
Lines	15	5	

ADDITIONAL INFORM	

SIGNED

t Double



Notification of Waste Subject to Land Disposal Restrictions

Va	ste (check appro	priate boxes)			<u> </u>		Treatment Standard	
.	☐ F-Solvents	□ F001 □ I	F002 🗆 F003 🗆	F004 🗆 F0	005		Complete Reverse Side	
					t Standard	If Required Method		California Lis
ORGANICA CONTRACTOR CONTRACTOR	List all D,F,K,U, or P Waste Codes (eg. F006, D003)	Subcategory (if any)	Treatability Group (eg. wastewater or nonwastewater)	268.41(a) CCWE	268.43(a) CCW	insert proper 5-letter code	USPCI acceptance #	complete reverse side
	F006		HUW	\searrow	<i>≫</i>		GM 89-995	
	B007		New	X			6M89-995	
	D007		NWW	\sim			GM 90-3010	
								0
	\$20000 Table 1							
					1 1			
	Hazardous Debri	means a wast	e containing less the			Constituents		arked
_	E: "Wastewater" i Hazardous Debri This hazardous	means a wast is Notification s debris is sub	e containing less than n nject to the alternation	/e treatment	standards of	Constituents less then 1% 40 CFR 268.49	s which are applicable are π T.O.C. 5.	arked
_	E: "Wastewater" i Hazardous Debri This hazardous	means a wast is Notification s debris is sub	e containing less the	/e treatment	standards of	Constituents less then 1% 40 CFR 268.49	s which are applicable are π T.O.C. 5.	arked
_	E: "Wastewater" i Hazardous Debri This hazardous	means a wast is Notification s debris is sub	e containing less than n nject to the alternation	/e treatment	standards of	Constituents less then 1% 40 CFR 268.49	s which are applicable are π T.O.C. 5.	narked
	E: "Wastewater" i Hazardous Debri This hazardous Contaminants	means a wasters Subject to Tr	e containing less that n nject to the alternative eatment (please li	ve treatment	standards of des applicable	Constituents less then 1% 40 CFR 268.49 le to the debri	s which are applicable are m T.O.C.	
	E: "Wastewater" i Hazardous Debri This hazardous Contaminants FACILITY: Note th	means a wasters Notification s debris is substituted to Transport Contaminate Transport Contaminate Transport Contaminate Transport Tran	e containing less that n nject to the alternative eatment (please li	ve treatment	standards of des applicables	Constituents less then 1% 40 CFR 268.49 le to the debri	s which are applicable are π T.O.C. 5.	
	E: "Wastewater" Hazardous Debri This hazardous Contaminants FACILITY: Note the treatment standar Deadline Extensi	means a waster is Notification s debris is sub Subject to Tr at "Contaminat has been pro-	e containing less that piect to the alternation reatment (please limited and second se	st waste cod atment" are t	standards of dies applicable hose constitue 268.43.	Constituents less then 1% 40 CFR 268.49 le to the debri	s which are applicable are marked to a waste code listed above	for which a BD
	E: "Wastewater" Hazardous Debri This hazardous Contaminants FACILITY: Note the treatment standar Deadline Extensi Certain LDR restr	means a waster is Notification is debris is sub Subject to Tr at "Contaminat has been pro- ions and Vari icted wastes of	e containing less that piect to the alternation reatment (please limited and second se	treatment st waste cod atment" are t R 268.41 or	standards of dies applicable hose constitue 268.43.	Constituents less then 1% 40 CFR 268.49 e to the debri	s which are applicable are marked. T.O.C. 5. is) It is to a waste code listed above the of a prohibition provided the	for which a BD.
	E: "Wastewater" Hazardous Debri This hazardous Contaminants FACILITY: Note the treatment standar Deadline Extensi Certain LDR restrextensions or vari	means a waster is Notification is debris is sub Subject to Tr at "Contaminat d has been pro- ions and Vari icted wastes of ance. Restricted	e containing less that plect to the alternative atment (please limited and subject to Treatomulgated in 40 CF ances can be placed in a led wastes which question and subject to the placed in a led wastes which are subject to the placed in a led wastes which are subject to the placed in a led wastes which are subject to the placed in a	treatment st waste cod atment" are t R 268.41 or	standards of des applicable hose constitue 268.43.	Constituents less then 1% 40 CFR 268.44 le to the debri	s which are applicable are marked. T.O.C. 5. is) It is to a waste code listed above the of a prohibition provided the	for which a BD
	E: "Wastewater" Hazardous Debri This hazardous Contaminants FACILITY: Note the treatment standar Deadline Extensi Certain LDR restrextensions or various Check applicat Hazardous D	means a waster is Notification is debris is substituted to the substitute of the sub	e containing less that niject to the alternation reatment (please liments Subject to Treatment) ants Subject to Treatment and 40 CF ances can be placed in a sea which question and the placed in a sea which question are sea which question and the placed in a sea which question are sea which question and the placed in a sea which question are sea which question and the placed in a sea which question are sea which question and the placed in a sea which question are sea which	treatment st waste cod atment" are t R 268.41 or	standards of des applicable hose constitue 268.43.	Constituents less then 1% 40 CFR 268.44 le to the debri	s which are applicable are marked. T.O.C. 5. is) to a waste code listed above we of a prohibition provided the lows:	for which a BD
	Hazardous Debri This hazardous Contaminants FACILITY: Note the treatment standar Deadline Extensi Certain LDR restrextensions or various Check applicators Hazardous Done Hazardous Son	means a waster is Notification is debris is sub Subject to Tr mat "Contamina d has been pro- ions and Vari icted wastes of ance. Restrict ole line ebris (May 8, oil (May 8, 198	e containing less that niject to the alternative eatment (please liments Subject to Treatments Subject to Treatments Subject to Treatments and the consulgated in 40 CF eances can be placed in a led wastes which quiting 1993)	et reatment st waste cod atment" are t R 268.41 or	standards of des applicable hose constitue 268.43.	Constituents less then 1% 40 CFR 268.44 le to the debri	s which are applicable are marked. T.O.C. 5. is) to a waste code listed above we of a prohibition provided the lows:	for which a BD
	Hazardous Debri This hazardous Contaminants FACILITY: Note the treatment standare extensions or varied the contaminants Check applicated Hazardous Description Hazardous Series F037, F038 reservences To the contaminant of	means a waster is Notification is debris is substituted to Trust "Contaminated has been proposed ance. Restricted wastes cance. Restricted line ebris (May 8, 199 emoved from a second f	e containing less that note that it is proposed to the alternation reatment (please limited in the constant of	atment" are to R 268.41 or land disposa ality for a de	standards of des applicable hose constitue 268.43.	Constituents less then 1% 40 CFR 268.44 le to the debri	s which are applicable are marked. T.O.C. 5. is) to a waste code listed above we of a prohibition provided the lows:	for which a BD
	FACILITY: Note the treatment standar. Check applicated Hazardous Deadline Extensions or variable. Check applicated Hazardous Deadline Extensions or variable. Check applicated Hazardous Deadline Extensions or variable. Check applicated Hazardous Section 1.00 Hazardous Sec	means a waster is Notification is debris is substituted to the substitute of the sub	e containing less that it is provided to the alternation reatment (please like ants Subject to Treatments Subject to Treatment and 40 CF ances can be placed in a sed wastes which question 1993)	atment" are to FR 268.41 or land disposa ality for a de	standards of dies applicable hose constituents 268.43. If unit after the adline extension List, 1994)	Constituents less then 1% 40 CFR 268.44 le to the debri	s which are applicable are marked. T.O.C. 5. is) to a waste code listed above we of a prohibition provided the lows:	for which a BD
	FACILITY: Note the treatment standar. Check applicated Hazardous Deadline Extensions or variable. Check applicated Hazardous Deadline Extensions or variable. Check applicated Hazardous Deadline Extensions or variable. Check applicated Hazardous Section 1.00 Hazardous Sec	means a waster is Notification is debris is substituted to the substitute of the sub	e containing less that plect to the alternation reatment (please liments Subject to Treatornulgated in 40 CF ances can be placed in a led wastes which question 1993) 93) surface impoundmentated (June 30, 1993)	atment" are to FR 268.41 or land disposa ality for a de	standards of dies applicable hose constituents 268.43. If unit after the adline extension List, 1994)	Constituents less then 1% 40 CFR 268.44 le to the debri	s which are applicable are marked. T.O.C. 5. is) to a waste code listed above we of a prohibition provided the lows:	for which a BD

REVNOV92

GENERATOR MUST RETAIN COPY FOR RECORDS

AK ONLY THOSE CONSTITUENTS WHICH APPLY

268.43 Table CCW-Constituent Concentrations In Waste

MARK STANDARD THAT APPLIES							
	Concentration	n (in mg/l)					
F001-F005 spent solvents	Wastewaters containing spent solvents	All other spent solvent wastes					
☐ Acetone	0.28	160.0					
☐ Benzene	0.070	3.7					
☐ n-Butyl alcohol	5.6	2.6					
☐ Carbon tetrachloride	0.057	5.6					
☐ Chiorobenzene	0.057	5.7					
Cresol (m- and p- isomers)	0.77	3.2					
Do-cresol	0.11	5.6					
□ o-Dichlorobenzene	0.088	6.2					
☐ Ethyl acetate	0.34	33.0					
☐ Ethylbenzene	0.057	6.0					
☐ Ethyl ether	0.12	160.0					
	5.6	170.0					
☐ Methylene chloride	0.089	33.0					
☐ Methyl ethyl ketone	0.28	36.0					
Methyl isobutyl ketone	0.14	33.0					
☐ Nitrobenzene	0.068	14.0					
Pyridine	0.014	16.0					
☐ Tetrachioroethylene	0.056	5.6					
☐ Toluene	0.08	28.0					
☐ 1.1.2-Trichloroethane	0.030	7.6					
1,1,1-Trichloroethane	0.054	5.6					
1.1.2-Trichloro-1.2.2-Trifluoroethane	0.057	28.0					
☐ Trichloroethylene	0.054	15.6					
☐ Trichloromonofluoromethane	0.02	33.0					
Xylenes (total)	0.32	28.0					
F001, F002, F003, F004 and F005	Concent	ration					
wastewaters (Pharmaceutical Industry)	(in m	g/l)					
☐ Methylene chloride	0.4	14					
268 42 Technology Rased Standards							

268.42 Technology Based Standards

F005	Concentration in mg/l(ww) mg/kg(nww)
□2-Nitropropane (F005)	Required Method(s)
□ 2-Ethoxyethanol (F005)	Required Method(s)

268.41 Table CCWE-Constituent Concentrations in Waste Extract

Concentration (ii		
F001-F005 spent solvents	Wastewaters	All other
Carbon Disulfide	1.05	4.81
☐ Cyclohexanone	0.125 0.25	0.75 0.75

California List Waste (applies to all states)

Liquid hazardous waste including free liquids associated with any solid or sludge containing the following constituents or characteristic:

Conce	entration .	Treatment Standard
pH ≤ 2.0	≥ 1,000 ≥ 500 ≥ 100 ≥ 500 ≥ 500	
Selenuim	≥ 50	



LAND DISPOSAL RESTRICTION FORM FOR F006 WASTE

Generator Name Address:	19503 5				
City:	Torrance	Mormandia	Ave	State:CA	Zlo: 90502
USPCI Acceptan		GM89-99	<i>[[</i>	Sizie:	ZID:
			92746018	**************************************	
I hereby certify	to U.S. Pollution 6 th in 40 GFR 268.	Bontrol, Inc., (USPC 41 and/or 298.43 as	i) that the hazardous indicated below:	is waste identified as F006	meets the applicable treatment
	ferigen me na	annent standards n		shipment of the waste to US	SPCI, Inc.)
	_		F006 Nonwastew	ater	
		nidės (Total)	,	590.0	mg/kg
		nides (Amenable) Imium)	30.0	mg/kg
	CONTROL OF THE PARTY OF THE PAR	omium (Total)		0.066 5.20	mg/! mg/!
	> Lea			0.51	mg/l
	Nick	(e)		0.32	mg/l
	<u></u> ∠ Sllve	er			mg/l
Basis for this cent		e the knowledge upo			e most recent analytical data:
Basis for this cert (Pocator (Poca	tification - Describe Knawledge S. Pollution Contr	the knowledge upon	t this waste shipme		
Cass for this cert Cascator And the cast of the cert the cast o	Knawledge Knawledge S. Pollution Control and/or 268.43 for	ol, Inc. (USPCI) the	it this waste shipme dicated below:	nt of F006 does not meet th	ne treatment standards set forth
Casts for this cert	Knawledge Knawledge S. Pollution Control and/or 268.43 for	ol, Inc. (USPCI) the	it this waste shipme dicated below:	nt of F006 does not meet the	ne treatment standards set forth
lasis for this cert (Proceio hereby notify U	iffication - Describe Knawledge S. Pollution Control and/or 268.43 for (check the treat)	ol, Inc. (USPCI) the	it this waste shipme dicated below: t are not met before	nt of F006 does not meet the	ne treatment standards set forth
Cass for this cert Cascator And the cast of the cert the cast o	iffication - Describe Knauledge G. Pollution Control and/or 268.43 for (check the treat	ol, Inc. (USPCI) that in the constituents incoment standards that	t this waste shipme dicated below: t are not met before F006 Nonwastew	nt of F006 does not meet the shipment of the waste to Later	JSPCI, Inc.)
Asis for this cert (Promitor (P	S. Pollution Control and/or 268.43 for Cyar Cyar Cyar Cadi	ol. Inc. (USPCI) that the constituents incoment standards that mides (Total) nides (Amenable) mium	t this waste shipme dicated below: t are not met before F006 Nonwastew	a shipment of the waste to Usater	me treatment standards set forth USPCI, Inc.) mg/kg mg/kg
Asis for this cert (Promitor (P	S. Pollution Centre and/or 268.43 for Cyal	rol. Inc. (USPCI) that the constituents incoment standards the mides (Total) mides (Amenable) mium omium (Total)	t this waste shipme dicated below: t are not met before F006 Nonwastew	a shipment of the waste to Uater 590.0 30.0	me treatment standards set forth USPCI, Inc.) mg/kg mg/kg
asis for this cert (Procetor And	itification - Describe Knawledge S. Pollution Centre and/or 268.43 for (check the treat Cyal Cyal Cad Chro Leac	rol. Inc. (USPCI) that the constituents incoment standards that mides (Total) mides (Amenable) mium omium (Total)	t this waste shipme dicated below: t are not met before F006 Nonwastew	a shipment of the waste to Cater 590.0 30.0 0.066 5.20 0.51	mg/kg mg/l mg/l mg/l
asis for this cert (Procestor Additional A	itilication - Describe Knawledge S. Pollution Centre and/or 268.43 for (check the treat Cyal Cyal Cyal Cyal Chro Leac Nick	rol. Inc. (USPCI) that the constituents incoment standards that mides (Total) nides (Amenable) mium omium (Total) is	t this waste shipme dicated below: t are not met before F006 Nonwastew	shipment of the waste to Cater 590.0 30.0 0.066 5.20 0.51 0.32	mg/kg mg/l mg/l mg/l
CENTRATOC CENTRATOC AND THE CONTRACTOC AND THE CONTRACTOC HOTERDY Notify U.	itification - Describe Knawledge S. Pollution Centre and/or 268.43 for (check the treat Cyal Cyal Cad Chro Leac	rol. Inc. (USPCI) that the constituents incoment standards that mides (Total) nides (Amenable) mium omium (Total) is	t this waste shipme dicated below: t are not met before F006 Nonwastew	a shipment of the waste to Cater 590.0 30.0 0.066 5.20 0.51	mg/kg mg/l mg/l mg/l
hereby notify U	Cyal Check the treat Cyal Check the treat Cyal Check Check Leac Nick Silve	a the knowledge upon the knowledge upon the constituents income the constituents income the constituents income (Amenable) and the constituents income (Amenable) and the constituent (Total) is elected.	it this waste shipme dicated below: It are not met before F006 Nonwastew	shipment of the waste to Cater 590.0 30.0 0.066 5.20 0.51 0.32	me treatment standards set forth JSPCI, Inc.) mg/kg mg/kg mg/l mg/l mg/l mg/l mg/l mg/l
hereby notify Un 40 CFR 268.41	Cyal Check the treat Cyal Cad Check the treat Cyal Cyal Cyal Cad Chro Leac Nick Silve	e the knowledge upon the knowledge upon the constituents in the constituent (Total) in the constituent (Total) is constituent (Total) in the constituent (Total) in the constituent (Total) is constituent (Total) in the constituent (Total) i	t this waste shipme dicated below: t are not met before F006 Nonwastew	shipment of the waste to Usater 590.0 30.0 0.066 5.20 0.51 0.32 0.072	me treatment standards set forth JSPCI, Inc.) mg/kg mg/kg mg/l mg/l mg/l mg/l mg/l mg/l
hereby notify Un 40 CFR 268.41	Cyal Check the treat Cyal Cad Check the treat Cyal Cyal Cyal Cad Chro Leac Nick Silve	e the knowledge upon the knowledge upon the constituents in the constituent (Total) in the constituent (Total) is constituent (Total) in the constituent (Total) in the constituent (Total) is constituent (Total) in the constituent (Total) i	t this waste shipme dicated below: t are not met before F006 Nonwastew	shipment of the waste to Cater 590.0 30.0 0.066 5.20 0.51 0.32 0.072	me treatment standards set forth JSPCI, Inc.) mg/kg mg/kg mg/l mg/l mg/l mg/l mg/l mg/l
have attached as	Cyal Check the treat Cyal Cad Check the treat Cyal Cyal Cyal Cad Chro Leac Nick Silve	e the knowledge upon the knowledge upon the constituents in the constituent (Total) in the constituent (Total) is constituent (Total) in the constituent (Total) in the constituent (Total) is constituent (Total) in the constituent (Total) i	t this waste shipme dicated below: t are not met before F006 Nonwastew	shipment of the waste to Usater 590.0 30.0 0.066 5.20 0.51 0.32 0.072	me treatment standards set forth JSPCI, Inc.) mg/kg mg/kg mg/l mg/l mg/l mg/l mg/l dge and information. (310) 533-79 Telephone
have attached at hereby certify the Robert R	Cyal Check the treat Cyal Cad Check the treat Cyal Cyal Cyal Cad Chro Leac Nick Silve	e the knowledge upon the knowledge upon the constituents in the constituent (Total) in the constituent (Total) is constituent (Total) in the constituent (Total) in the constituent (Total) is constituent (Total) in the constituent (Total) i	t this waste shipme dicated below: t are not met before F006 Nonwastew	shipment of the waste to Usater 590.0 30.0 0.066 5.20 0.51 0.32 0.072	me treatment standards set forth JSPCI, Inc.) mg/kg mg/kg mg/l mg/l mg/l mg/l mg/l mg/l

15 2

REQUEST FOR FACILITIES MATERIAL

Serial No.

203843

	ERGENCY (JUSTIFICA	ATION)	CRITIC	AL	☐ ROUT		
Requested By	Employee No.	Phone	Date	Dept.	Bldg & Column	Benefitir	
cct. No./CCN	PEMO/Source	Maint Work Orde		**************************************	Date Material Rec		
tem Qty O/U	Vendor Part No.		Description	n/Manufacturing		Unit P	rice
1 61 CT 11	VOICE 37301			3/2,19 3			
				\$ \$ Physik		United States	
	16.39873	***					
1/3	can past			The March 1997			
9	2746078						
							•
		•					
					<u> </u>		
		FF 1					
JUSTIF	FICATION	Suggested Supplier				<u> </u>	
		Uwi	tu L	magnet.	SU	BTOTAL	2160
		Phone No.				TAX =	
		Thore (te.				TOTAL	
		Machine/Equipment	MATERIAL FOR		AUTHOR Team Leader	IED SIGNAT	URES Date
	199	Established Annual Control	73.43		Stockroom Cord.	<u> 100 a</u>	Date
		Model/Manufacture			Stockloom Cold.		Date
		Serial No.			Group Leader		Date
Deliver To		Size/Type			Business Unit Manager		Date
Bldg. Colu	mn Dept.	DAC/Control Number		Bidg/Column	BO&A Group Leader		Date
Name	Ext.				Assigned To	Reassigne	d To
		DISTR	IBUTION	G AM PM	Assigned to	rieassigne	u 10
	GPOS BUSINESS OPERA	TIONS & ACQUIS	ITION ONLY	' ' ' '	=	NALYST	
Supplier	0.30 C	Work Order			Name (Da E /	ate
Supplier Name/Address	<u> </u>	Purchase/C	ontract No.		Expected Shipment Da	te	A Proper
	- Herre	CCN	302 - 1 (<u> </u>	Ship Location		
		<u> </u>	Philippine Agency	<u> A</u>	VIA 1/1		
Phone No.		Acct No.	3 3 3 3		FOB ()		

UNITED PUMPING SERVICE. INC.

14016 EAST VALLEY BOULEVARD CITY OF INDUSTRY, CALIFORNIA 91746 PHONE: (818) 961-9326 FAX (818) 336-7734 SALES FAX (818) 961-3799 OPERATIONS

37301

DOATS

SOLD TO:

Douglas Aircraft. 19503 So. Normandie, C-6-711 Att: Polly Dini, C6-13 Torrance, CA 90502

JOB SITE:

Douglas Almcraft 19503 Sec Normandie, C-6-711 Att: Polly Dini, C6-13 Torrance, CA 90502

DATE

MANIFEST NO.

05/06/93

PURCHASE ORDER NO. S&S25652 F6358 92746078

ORDER DATE

03/31/93

net. 30

SALESPERSON

WORK ORDER NO. 32873

QUANTITY 2.475.00 2.475.00 1.00 Load 943 Trans U.S.P.C.I., Clive, Utah Roll-off Truck & Trailer 1.174.10 1,174.10 1.00 Foad 700 Disposal Fee: 82.19 82.19 Disposal Service Charge: 1.00 Fach 701 80.00 40.00 0.50 Hrs. 710 Additional loading time: 80.00 140.00 1.75 Hrs. 711 Additional offloading time: 20.00 40.00 2.00 Fach 857 Bin Liner Bag 80.00 400.00 Roll-off truck with trailer 5.00 112 Delivered R385 & R326 7.50 457.50 Bin Rental #R385 61.00 Day 600 7.50 457.50 61.00 Day 600 Bin Rental #R326 Delivered 2 Empty bins R-328 & R-318

DIRECT DELIVERY SHIPMENT Material Accepted As Listed Exceptions Noted: Authorized Signature Employee Number _ 330487

05-12-93

TOTAL AMOUNT DUF

5,266.29

UNITED

ADDITIONAL INFORMATION

UNITED PUMPING SERVICE, INC. FIELD WORK ORDER 32873

14016 EAST VALLEY BOULEVARD
CITY OF INDUSTRY, CALIFORNIA 91746

PHONE: (818) 961-9326

	FAX (818) 336-7734						PAGE OF					
PHONE NO.	onaell S Nove ce Ca	Daug, Mudi CONTACT	/as 050°	1.2 Common of the common of th			D D	ATE WORK I ATE OF THIS WE CALL TEN CONTRACT I DSS,IMPORT	REPORT. SEIVED:	3/3/	630	23
Scope of work - Delivere Plu (2) y	d (2) 6 SU 69	CES Formal age	7	bo € 1	EL BS	7 × R	-33 #	2 (2 - 3	# 26	<i>R</i> -		
EQUIPMEN	17:	EQUIPMENT NO.		OPERATOR NAME		START TIME	ARRIVE TIME	TIME OUT	STOP TIME	8.T. TIME	O.T. TIME	TOTAL HOURS
Roll-ott &	tripler?	#33	GAS,	tois (s		6330 d	8: 45 1130	11115				2.5 3.75
PERSONNI			п	CHARLES PROGRAM CONTRACTOR OF		START	ARRIVE	TIME OUT	STOP	S.T. TIME	O.T. TIME	TOTAL
			T									
DISPOSAL: MANIFEST NO. 92746078	USPC		3,590	UNIT R		Ling		en		WP		GIY

INVOICE COPY BOE-C6-0195169

SERVICE PROVIDED BY:

A Subsidiary of Union Pacific Corporation

U.S. POLLUTION CONTROL, INC.

ORIGINAL INVOICE

PLEASE PAY FROM THIS INVOICE NO STATEMENT WILL BE RENDERED

SERVICE FOR:

DOUGLAS AIRCRAFT COMPANY

19503 S NORMANDIE AVE TORRANCE, CA 90502

BILL TO:

UNITED PUMPING SERVICE INC

14016 E VALLEY BLVD

CITY OF INDUSTRY, CA 91746

CUSTOMER NO.	INVOICE DATE	INVOICE NO.
000014947	05/01/93	P0L242328
BILL TO NO.		
000013193		
	DUNTING INFORMA	TION
S	C0	0061 0321
The second second		TERMS
		NET 30

ITEM # QUANTITY

DESCRIPTION

PRICE

PER

NET AMT

ARVL: 04/06/93 FAC NO: 03205

MF: 93056

MF ITEM: B ORDER: 930018048

WASTE STREAM: GM89-0995

WASTE NAME: CHROME FILTER CAKE

BLKDSP 2.35 BULK DISPOSAL 120.000 TN 282.00 WOGORD 1.00 TRUCK WASHOUT NO CHARGE STTSP SPECIAL STABILIZATION 4,697.00 .070 328.79 LB UF XO UTAH HAZ WASTE TAX (OUT-STATE) 2.35 35.000 TN 82.25

ARVL: 04/06/93 FAC NO: 03205

MF: 93056

MF ITEM: C

ORDER: 930018048

WASTE STREAM: GM90-3010

WASTE NAME: PRECISION GRINDING SLUDGE

 BLKDSP
 1.63
 BULK DISPOSAL
 120.000
 TN
 195.60

 STABSP
 3,263.00
 SPECIAL STABILIZATION
 .070
 LB
 228.41

 UHWTXO
 1.63
 UTAH HAZ WASTE TAX (OUT-STATE)
 35.000
 TN
 57.05

REMIT TO ADDRESS:

P.O. BOX 201831

HOUSTON,

TX 77216-1831

THANK YOU

TRACY MC QUEENEY

PLEASE PAY THIS AMOUNT 1,174.10

ORIGINAL MÄNIFEST IS MAILED DIRECTLY TO GENERATOR FROM SITE

	UNIFORM HAZARDOUS WASTE MANIFEST	GENERATOR US EPA ID CAD086510005			MANIFEST NO. 93056			PAGE 1 OF 00001
	GENERATOR NAME AND MAILING ADDRE	SS			STATE	E MANIFEST DO	C NO	1
T	DOUGLAS AIRCRAFT COMPAN	Y : 100 (100)					9274	6078
	19503 S NORMANDIE AVE			ustanii Litanii	STATE	E GENERATOR :		
					SIAIL	E GENERATOR .	LD	
	TORRANCE CA	90502	CAD086510005					
	TRANSPORTER 1 COMPANY NAME					TRANSPORT ID	CADO	72953771
					1	n da ing disepantal paling Talah		
	TRANSPORTER 2 COMPANY NAME		그 얼마나 되었다.			TRANSPORT ID		
G					Cerrison with	SPORT PHONE		
	DESIGNATED FACILITY NAME AND ADD GRASSY MOUNTAIN FACILIT	Y			STATE	E FACILITY II		
E	US POLLUTION CONTROL IN						עווט	91301748
	3 MI E, 7 MI N,KNOLLS E	084074	UTD991301748		FACIL	.ITY PHONE	ደበ1ነ	595-3900
		004074	010771301746		100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		3317	3700
N	US DOT DESCRIPTION(INCLUDING	NAME, HAZARD CLASS	AND ID NUMBER)	CONTA:	INER TYPE	TOTAL QUANTITY	UNIT WT/V	WASIE NO
E	B.RQ HAZARDOUS WASTE SOL	ID N.O.S. (F00	s, D007)	00001	CM	8090.00	Р	D007 F006
					y .			
		9189						
R	C.RQ HAZARDOUS WASTE SOL	ID N.O.S. (DOO	()	00001	CM	5500.00	, Р	0007
	ORM-E NA	9189				Table of the state		
А	OKI L KA	7107		<u> </u>				
Manager John								
0				Para de la composición dela composición de la composición dela composición de la composición de la composición de la com	luum.	TUG GODEG ES		
	ADDITIONAL DESCRIPTIONS FOR MATE	RIALS LISTED ABOVE			T47	ING CODES FO	K ABO	VE
R					T47			0.000
					10.146 -0.467			
	SPECIAL HANDLING INSTRUCTIONS AN	D ADDITIONAL INFOR	MATION					
	AUTUODIZATION			leafile e				DATE
	AUTHORIZATION							DATE
	1			urburb ber			· 1	
Ł								
	TRANSPORTER 1 AUTHORIZATION							DATE
T R	TRANSPORTER 1 AUTHORIZATION				·			DATE
RAZ	TRANSPORTER 1 AUTHORIZATION							DATE
\$ 4 Z W P O	TRANSPORTER 1 AUTHORIZATION TRANSPORTER 2 AUTHORIZATION							DATE DATE
8 4 7 10 10								
8 4 Z W P O R	TRANSPORTER 2 AUTHORIZATION							
8 4 Z W P O R								
8 4 Z W P O R	TRANSPORTER 2 AUTHORIZATION							
RANSPORT	TRANSPORTER 2 AUTHORIZATION							
8 4 Z W P O R	TRANSPORTER 2 AUTHORIZATION DISCREPANCY INDICATION SPACE							DATE
RANSPORT	TRANSPORTER 2 AUTHORIZATION							



CERTIFICATE OF DISPOSAL

U.S.Pollution Control Inc.(USPCI), an Oklahoma corporation duly permitted and operating under the approval of the Utah State Department of Health does hereby certify that the controlled industrial waste of

DOUGLAS AIRCRAFT COMPANY

MANIFEST # 93056

WITH THE FOLLOWING WASTE CODES: D007, F006

has been disposed of at the Grassy Mountain Controlled Industrial Waste Surface Disposal Site, located in Tooele County, Utah, and that such treatment, neutralization and disposal has been accomplished in accordance with all applicable rules and regulations of the State of Utah and the U.S. EPA.

WASTE ID ---- GM89-0995 QUANTITY --- 8090 P

4,697 LBS

LOAD NUMBER ---- 03205

U.S. POLLUTION CONTROL, INC. DISPOSAL SITE PERMIT NO. U70991301748

FACILITY MANAGER

RECORDS ADMINISTRATOR



CERTIFICATE OF DISPOSAL

U.S.Pollution Control Inc.(USPCI), an Oklahoma corporation duly permitted and operating under the approval of the Utah State Department of Health does hereby certify that the controlled industrial waste of

DOUGLAS AIRCRAFT COMPANY

MANIFEST # 93056

WITH THE FOLLOWING WASTE CODES: D007

has been disposed of at the Grassy Mountain Controlled Industrial Waste Surface Disposal Site, located in Tooele County, Utah, and that such treatment, neutralization and disposal has been accomplished in accordance with all applicable rules and regulations of the State of Utah and the U.S. EPA.

WASTE ID ---- GM90-3010 QUANTITY --- 5500 P

3,263 LBS

LOAD NUMBER ---- 03205

U.S. POLLUTION CONTROL, INC.

DISPOSAL SITE PERMIT NO. UTB991301748

m Kun 7

FACILITY MANAGE

RECORDS ADMINISTRATOR



UNITED DUMPING SERVICE, INC. FIELD WORK ORDER 31813 14016 EAST VALLEY BOULEVARD CITY OF INDUSTRY, CALIFORNIA 91746

	PHONE: (818) 961-9326 FAX (818) 336-7734	PAGE OF
CUSTOMER/ADDRESS (DOPUS) 195035 NOR		DATE WORK PERFORMED 29993 DATE OF THIS PERFORM.
	ANCE CA. 7050A	CONTRACT NO.
	DELIVERY BROKEN	
ROLL-OFF	ROUNTERT OPERATOR START ARRIVE TIME TIME TIME	OUT TIME TIME TIME HOURS
PERSONNEL: NAME	TILE START ARROYET TIME TIME	TIME STOP S.F. O.F. TOTAL HOURS
70/20375 550	POSALSTE STY UNIT COMSUMABLE: TYPE C. J. P. D. P. ASTICS	GIY ME SIY

	7572	0			13/92	
	MANIFEST # 72656	E	EXT	DATE	_DATE_4_1_13_1_9_3	PINK - Driver
WASHOUT RECEIPT		T	(LNI			YELLOW - Billing
WASHC	Z TRUCK #.), LO		URE	BTall	WHITE - Records
SPOCETION Pacific Corporation	AATOR NAME.	K TYPE	OF WASH	OUT SIGNATURE	ER SIGNATURE	WHITE
	GENER/ LOAD #	TRUCK	TYPEOI	WASHO	DRIVER	

USPECITION Packs Corporation LOAD # Assistance LO	01:46 PH 04/13 XX / / / / / / / / / / / / / / / / / /	DATE // [] DATE // [] BECEIVING CLERK
wy of stific Corporation. TRUCK # TRAILER	GROSS TARE	COUNT:
TRUCK #	Z TRAILER	
the following the strong of	Farry of acific Corporation	DRUM:COUNT: DRIVER: OPERATOR: